Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	157	know-how and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L2	23	know-how same search and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L3	272	similar with search adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L4	48	similar with (search adj query) same input	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L5	35	(store or save) adj2 (search or query or condition) with (feedback or know-how or strategy or tip)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L6	269	automatic\$4 with request with (feedback or know-how or strategy)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L7	23	automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L8	1	automatic\$4 with get with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L9	2	call adj center same feedback with search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23

L10	5	automatic\$4 with request with (feedback or know-how or strategy) same search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L11	5269	number with search with (terms or conditions or queries)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L12	2052	number with search adj (terms or conditions or queries)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L13	1189	number with search adj (terms or conditions or queries) and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L14	101	input with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L15	43	count with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OŖ	ON	2007/01/29 12:23
L16	1	measure adj2 number adj2 search adj conditions	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L17	. 21	(measure or count or record) with number adj2 search adj (conditions or terms)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2007/01/29 12:23
L18	3222	(measure or count or record) with time with search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L19	674	(measure or count or record) with time with search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23

L20	44	(measure or count or record) adj3 time adj3 search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L21	3	(measure or count or record) adj time adj search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L22	96	store adj2 search adj (condition or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L23	4	store adj2 search adj (condition or query) same compare	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L24	10	store adj2 search adj (condition or query) and feedback	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L25	11	store adj2 search adj (condition or query) and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L26	23	know-how same search and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L27	106	know-how same search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L28	2	know-how same search same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23

L29	38	search adj query with assistant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L30	23	automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L31	446	request with (feedback or know-how or strategy) and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/29 12:23
L32	23	automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L33	109	(count or determine) with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L34	42	(count or determine) adj3 number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L35	1	("20040193586").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/29 12:23
L36	11	(measure or count or record) adj2 number adj2 search adj (conditions or terms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L37	1	(measure or count or record) adj2 number adj2 search adj (queries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23

			-			
L38	1	(measure or count or record) adj2 number adj2 search adj query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L39	0	(measure or count or record)adj2 search adj query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L40	0	(measure or count or record) adj query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L41	3	(measure or count or record)adj3 query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L42	66	(measure or count or record or store) adj number adj2 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L43	41	(measure or count or record or store) adj number adj2 query and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 12:23
L44	406	store adj voice adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L45	5	store adj voice adj data and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 12:23
L46	4	problem with occur\$4 with during with search near2 process\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/29 15:52

L47	1	("6587847").PN.	US-PGPUB;	OR	OFF	2007/01/29 15:54
			USPAT; USOCR; EPO			
L48	. 2	(("6560589") or ("6591258")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/29 15:54
S1	134	know-how and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 15:41
S2	20	know-how same search and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:57
S3	237	similar with search adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 15:42
54	43	similar with (search adj query) same input	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:03
S5	28	(store or save) adj2 (search or query or condition) with (feedback or know-how or strategy or tip)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:30
S6	231	automatic\$4 with request with (feedback or know-how or strategy)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:39
S7	17	automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 11:19
S8	. 1	automatic\$4 with get with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:36

			_			
S9	2	call adj center same feedback with search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:38
S11	3	automatic\$4 with request with (feedback or know-how or strategy) same search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/05 16:40
S12	4564	number with search with (terms or conditions or queries)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 09:21
S13	1730	number with search adj (terms or conditions or queries)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 09:22
S14	1016	number with search adj (terms or conditions or queries) and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 09:22
S15	82	input with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 09:22
S16	40	count with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 11:29
S17	1	measure adj2 number adj2 search adj conditions	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2006/07/06 10:06
S18	18	(measure or count or record) with number adj2 search adj (conditions or terms)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 15:03
S19	2931	(measure or count or record) with time with search	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:09

						`
S20	611	(measure or count or record) with time with search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:10
S21	42	(measure or count or record) adj3 time adj3 search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:28
S22	2	(measure or count or record) adj time adj search and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:29
S23	79	store adj2 search adj (condition or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:47
524	. 3	store adj2 search adj (condition or query) same compare	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:51
S25	5	store adj2 search adj (condition or query) and feedback	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 10:56
S26	. 6	store adj2 search adj (condition or query) and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:56
S27	. 20	know-how same search and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:58
S28	94	know-how same search ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:58

S29	2	know-how same search same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:00
S30	33	search adj query with assistant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:01
S31	17	automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2006/07/06 11:19
532		automatic\$4 with request with (feedback or know-how or strategy) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:20
S33	386	request with (feedback or know-how or strategy) and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:20
S34	100	(count or determine) with number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2006/07/06 11:30
S35	41	(count or determine) adj3 number with search adj (terms or conditions or queries) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 11:30
S36	1	("20040193586").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/07/06 14:50
S37		(measure or count or record) adj2 number adj2 search adj (conditions or terms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:05

S38	1	(measure or count or record) adj2 number adj2 search adj (queries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:05
S39	1	(measure or count or record) adj2 number adj2 search adj query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:30
S40	0	(measure or count or record)adj2 search adj query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:31
S41	0	(measure or count or record) adj query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:31
S42·	. 3	(measure or count or record)adj3 query adj entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:51
S43	60	(measure or count or record or store) adj number adj2 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/06 15:54
S44	36	(measure or count or record or store) adj number adj2 query and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:54
S45	386	store adj voice adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/06 17:55

S46	4	store adj voice adj data and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO;	OR	ON	2006/07/06 17:55
			IBM_TDB			